

Application No. 10/643,043  
Docket No. DP-308286  
Amendment dated October 20, 2005  
Reply to Advisory Action of October 3, 2005

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

Claim 1 (Currently amended): An electronic assembly comprising:  
a housing member comprising a heat-conductive member;  
a substrate supported by the housing member, the substrate having  
conductors on a surface thereof;

a circuit device mounted to the substrate with solder connections on  
a first surface of the device that are registered with the conductors on the  
substrate, the device having a second surface oppositely disposed from the  
first surface;

a solid solder joint consisting essentially of an indium preform into  
which one or more alloying constituents have diffused to increase the melting  
temperature of the solder joint above that of the indium preform, the solder  
joint bonding the second surface of the device to the heat-conductive member;  
and

an overmold compound that encapsulates the substrate, the device,

Application No. 10/643,043  
Docket No. DP-308286  
Amendment dated October 20, 2005  
Reply to Advisory Action of October 3, 2005

and the solder joint on the housing member, the overmold compound having a cure temperature approximately equal to the melting temperature of indium but less than the melting temperature of the solder joint so as to enable curing of the overmold compound without adversely affecting the bond formed by the solder joint between the device and the heat-conductive member;

wherein a thermally-conductive lubricant means is not present between the second surface of the device and the heat-conductive member.

Claim 2 (Canceled)

Claim 3 (Original): The electronic assembly according to claim 1, wherein the solder joint comprises indium and at least one of gold and silver in an amount of up to 0.5 weight percent.

Claim 4 (Original): The electronic assembly according to claim 1, wherein the solder joint comprising indium and at least one of nickel, nickel-gold alloy, tin, and tin alloy in an amount of up to 0.5 weight percent.

Claim 5 (Original): The electronic assembly according to claim 1, wherein the solder joint consists essentially of indium, at least one of gold and silver in an amount of up to 0.5 weight percent, and at least one of nickel,

Application No. 10/643,043  
Docket No. DP-308286  
Amendment dated October 20, 2005  
Reply to Advisory Action of October 3, 2005

nickel-gold alloy, tin and tin alloy in an amount of up to 0.5 weight percent.

Claim 6 (Currently amended): The electronic assembly according to claim 1, wherein the melting temperature of the solder joint is below the melting temperature of the solder connections. ~~a thermally-conductive lubricant is not present between the second surface of the device and the heat-conductive member.~~

Claim 7 (Currently amended): The electronic assembly according to claim 1, further comprising a structural adhesive bonding the substrate to the housing, the structural adhesive having a cure temperature approximately equal to the melting temperature of indium but less than the melting temperature of the solder joint so as to enable simultaneous curing of the structural adhesive and diffusion of the one or more alloying constituents into the indium preform.

Claims 8 and 9 (Canceled)

Claim 10 (Original): The electronic assembly according to claim 1, wherein the heat-conductive member is a pedestal protruding from the housing member.

Application No. 10/643,043  
Docket No. DP-308286  
Amendment dated October 20, 2005  
Reply to Advisory Action of October 3, 2005

Claim 11 (Original): The electronic assembly according to claim 1, wherein a portion of the housing member defines the heat-conductive member.

Claim 12 (Original): The electronic assembly according to claim 1, wherein the assembly lacks any biasing means that contacts a surface of the substrate opposite the device and urges the device into contact with the heat-conductive member.

Claim 13 (Currently amended): An electronic assembly comprising:  
a housing having an interior region;  
a heat-conductive pedestal projecting into the interior region of the housing;

a laminate substrate within the interior region of the housing and supported by the housing, the substrate having conductors on a surface thereof;

a circuit device mounted to the substrate with solder connections on a first surface of the device that are registered with the conductors on the substrate, the device having a second surface oppositely disposed from the first surface; and

a solid solder joint consisting essentially of an indium preform into

Application No. 10/643,043  
Docket No. DP-308286  
Amendment dated October 20, 2005  
Reply to Advisory Action of October 3, 2005

which at least one alloy constituent has diffused to increase the melting temperature of the solder joint above that of the indium preform but less than that of the solder connections, the solder joint bonding the second surface of the device to the heat-conductive pedestal; and

a structural adhesive bonding the substrate to the housing, the structural adhesive having a cure temperature approximately equal to the melting temperature of indium but less than the melting temperature of the solder joint so as to enable simultaneous curing of the structural adhesive and diffusion of the at least one alloy constituent into the indium preform;

wherein a thermally-conductive lubricant means is not present between the second surface of the device and the heat-conductive member.

Claim 14 (Original): The electronic assembly according to claim 13, wherein the solder joint contains gold or silver in an amount of about 0.1 to about 0.5 weight percent.

Claim 15 (Original): The electronic assembly according to claim 13, wherein the solder joint contains one of nickel, nickel-gold alloy, tin, and tin alloy in an amount of about 0.1 to about 0.5 weight percent.

Claim 16 (Original): The electronic assembly according to claim 13,

Application No. 10/643,043  
Docket No. DP-308286  
Amendment dated October 20, 2005  
Reply to Advisory Action of October 3, 2005

wherein the solder joint consists essentially of indium, at least one of gold and silver in an amount of about 0.1 to 0.5 weight percent, and at least one of nickel, nickel-gold alloy, tin, and tin alloy in an amount of about 0.1 to 0.5 weight percent.

Claim 17 (Canceled)

Claim 18 (Previously presented): The electronic assembly according to claim 13, wherein the housing comprising a base member and a cover member that enclose the substrate and the device.

Claim 19 (Previously presented): The electronic assembly according to claim 18, wherein an overmold compound does not encapsulate the substrate and the device.

Claim 20 (Original): The electronic assembly according to claim 13, wherein a portion of the housing defines the pedestal.

Claims 21-40 (Canceled)